

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 18 ] NEW DELHI, SATURDAY, MAY 10, 1958/VAISAKHA 20, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 12th April, 1958

CHOLERA								SMALLPOX								PLAGUE															
C.				D.				C.				D.				C.				D.											
Andhra Pradesh																Kerala															
"N.R."																Trivandrum															
Assam																Quilon															
Cochar	.	.	.	..	..	I	..	..	..	Kottayam	.	.	47	12	I	..	..	..	..												
Kamrup	.	.	..	..	I	..	..	..	..	Trichur	.	.	..	..	23	5	..	..	..												
TOTAL	.	.	..	..	2	..	..	..	..	Malabar	.	.	..	..	23	19	..	..	..												
Total for w/e 5-4-58	..	..	5	..	..	..	..	..	..	TOTAL	.	48	13	65	25	..	..	..	..												
Total for w/e 29-3-58	..	..	5	2	..	..	..	..	..	Total for w/e 5-4-58	..	..	88	31	..	..	..	..	..												
Bihar																Total for w/e 29-3-58															
Patna	.	.	17	..	12	2	..	..	..	Madhya Pradesh																					
Gaya	.	.	..	..	64	7	..	..	..	"N.R."																					
Saran	.	..	..	..	7	I	..	..	..	Madras																					
Champaran	.	.	..	..	8	4	..	..	..	Madras City																					
Darbhanga	.	.	..	..	26	15	..	..	..	Madras City	.	.	..	..	184	45	..	..	..												
Monghyr	.	.	..	..	90	31	..	..	..	Chingleput	.	.	..	..	68	18	..	..	..												
Bhagalpur	.	.	..	..	26	11	..	..	..	South Arcot	.	.	..	..	67	21	..	..	..												
Purnea	.	.	..	..	36	12	..	..	..	Tiruchirappalli	.	..	..	..	17	6	..	..	..												
Santhal parganas	.	..	..	..	23	9	..	..	..	Tanjor	.	.	19	6	18	8	..	..	..												
Hazaribagh	.	..	..	..	6	3	..	..	..	Madurai	.	.	37	12	8	..	..	..	..												
Ranchi	.	.	..	..	10	I	..	..	..	Remanathapuram	.	9	5	..	..	..	..	..	..												
Palamau	.	.	..	..	2	I	..	..	..	North Arcot	.	4	..	26	4	..	..	..	..												
Dhanbad	.	.	..	..	23	2	..	..	..	Salem	.	6	2	40	9	..	..	..	..												
Singhbhum	.	.	9	2	..	..	..	..	..	Coimbatore	.	.	..	..	51	26	..	..	..												
TOTAL	.	26	2	333	99	..	..	..	..	The Nilgiris	.	.	..	..	I	..	..	..	..												
Total for w/e 5-4-58	36	5	398	91	..	..	..	..	..	Kenya Kumamri	.	..	..	2	I	..	..	..	..												
Total for w/e 29-3-58	26	I	486	134	..	..	..	..	..	TOTAL	.	75	25	482	139	..	..	..	..												
Bombay																Total for w/e 5-4-58															
"N.R."																Total for w/e 29-3-58															
Delhi																Manipur															
"N.R."																TOTAL															
Himachal Pradesh																Total for w/e 5-4-58															
"N.R."																" " " 29-3-58															

Explanation of Symbols used: C.=Cases ; D.=Deaths; ..=Nil. "N. R." =information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 12th April, 1958—*contd.*

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
Mysore								Uttar Pradesh—contd.																							
"N.R."																															
Orissa																															
Cuttack	.	.	.	..	..	127	11	..	..	Dehra Dun	.	.	..	..	2	..	..	..													
Balasore	.	.	.	..	..	12	..	..	..	Deoria	.	.	..	..	15	4	..	..													
Puri	.	.	.	7	3	71	18	..	..	Etawah	.	.	..	..	13	3	..	..													
Sambalpur	.	.	.	1	1	20	9	..	..	Farrukhabad	.	.	..	..	25	2	..	..													
Boudh	.	.	.	..	..	11	1	..	..	Fetchpur	.	.	..	..	2	1	..	..													
Ganjam	.	.	.	—	—	202	54	..	..	Faizabad	.	.	..	..	21	10	..	..													
Mayurbhanj	.	.	.	..	..	122	9	..	..	Garhwal	.	.	..	..	4	..	..	..													
Dhenkanal	.	.	.	—	1	22	1	..	..	Ghazipur	.	.	..	..	91	52	..	..													
Keonjhar	.	.	.	..	..	16	6	..	..	Gonda	.	.	..	..	16	1	..	..													
Bolangir Patna	.	..	..	..	..	23	9	..	..	Gorakhpur	.	.	..	..	35	9	..	..													
Sundargarh	.	.	..	..	..	11	..	..	..	Shikharapur	.	.	..	..	1	..	..	..													
Kalahandi	.	.	..	..	..	8	..	..	..	Jalaun	.	.	..	..	8	3	..	..													
TOTAL	.	.	.	8	5	645	118	..	..	Jhansi	.	.	..	..	1	..	..	..													
Total for w/e 5-4-58	19	13	901	155	..	..	..	..	..	Jaunpur	.	.	..	..	1	..	..	..													
Total for w/e 29-3-58	34	24	916	136	..	..	..	..	..	Kanpur	.	.	..	..	90	32	..	..													
Pondichary																															
TOTAL	.	.	..	..	19	11	..	..	..	Etah	.	.	..	..	4	..	..	..													
Total for w/e 5-4-58	..	..	..	..	19	11	..	..	..	Kheri	.	.	..	..	1	..	..	..													
„ „ 29-3-58	..	..	..	..	24	12	..	..	..	Lucknow	.	.	..	..	56	16	..	..													
Punjab																															
"N. R."																															
Rajasthan																															
"N.R."																															
Tripura																															
"N.R."																															
Uttar Pradesh																															
Agra	.	.	..	..	12	4	..	..	..	Mainpuri	.	.	..	..	9	1	..	..													
Aligarh	.	.	..	..	19	7	..	..	..	Meerut	.	.	..	..	12	2	..	..													
Allahabad	.	.	—	—	1	4	..	..	..	Mirzapur	.	.	..	..	1	..	..	..													
Almora	.	.	..	..	1	1	..	..	..	Mathura	.	.	..	..	87	18	..	..													
Azamgarh	.	.	..	..	44	14	..	..	..	Muzaffarnagar	.	.	..	..	4	..	..	..													
Ballia	.	.	..	..	4	3	..	..	..	Pratapgarh	.	.	..	..	10	1	..	..													
Banda	.	.	..	..	14	..	..	..	..	Rae Bareilly	.	.	..	..	5	2	..	..													
Bareilly	.	.	..	..	3	3	..	..	..	Rampur	.	.	..	..	..	2	..	..													
Basli	.	.	..	..	8	2	..	..	..	Varanasi	.	.	..	..	4	2	..	..													
Budaun	.	.	..	..	47	25	..	..	..	Hardol	.	.	—	..	4	3	..	..													
Bulandshahr	.	.	..	..	4	1	..	..	..	Nainital	.	.	..	..	14	3	..	..													

Explanation of symbols used :— C. = Cases ; D. = Deaths ; .. = Nil ; "N.R." = Information not received.



Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 12th April, 1958—concl'd.

CHOLERA						SMALLPOX						PLAGUE																			
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.													
Himachal Pradesh												Punjab																			
w/e 22-3-58												For w/e 5-4-1958																			
TOTAL		..		..		..		..		..		Rohtak		..		2		..		..											
w/e 29-3-58												Ambala												..		3		..		..	
TOTAL		..		..		..		..		..		Amritsar		..		1		..		..											
w/e 5-4-58												Gurdaspur												..		1		..		..	
Total		..		..		..		..		..		Patiala		..		1		..		..											
West Bengal												Narnaul												..		1		..		..	
w/e 5-4-1958												Hoshiarpur												..		2		..		..	
Burdwan		..		..		231		58		..		TOTAL		..		9		2		..											
Birbhum		..		..		152		52		..		Assam (Supplementary figures)																			
Bankura		..		..		17		..		..		w/e 5-4-1958																			
Midnapore		..		17		9		73		27		Kamrup		..		1		2		..											
Hooghly		..		12		12		60		33		Lakhimpur		..		..		1		..											
Howrah		..		39		13		48		34		..		..		..		..		..											
24—Pargana		..		53		23		212		100		..		..		..		..		..											
Calcutta		..		132		59		14		14		..		..		..		..		..											
Nadia		..		..		..		33		11		..		..		..		..		..											
Murshidabad		..		..		..		126		49		..		..		..		..		..											
West Dinajpur		..		..		..		115		24		..		..		..		..		..											
Jalpaiguri		..		..		..		4		..		..		..		..		..		..											
Darjeeling		..		..		..		7		1		..		..		..		..		..											
Malda		..		..		..		106		42		..		..		..		..		..											
Cooch Behar		..		..		..		2		2		..		..		..		..		..											
Purullia		..		..		..		36		7		..		..		..		..		..											
TOTAL		..		253		116		1236		463		..		..		..		..		..											
POLIOMYELITIS																															
(Information based on patients treated in hospitals of important towns)																															
Place		Period		Cases		Deaths		Treated for																							
Punjab (State)		f/e 31-3-58		34		..		32—Paretic																							
do		f/e 15-4-58		27		..		All paretic																							
Delhi (Territory)		w/e 30-3-58		4		..		Not specified																							
REMARKS																															
Small-pox.—Heavy incidence of the disease was reported from the districts of Mathura, Lucknow and Ghazipur in the State of Uttar Pradesh and Cuttack in Orissa State.																															
Epidemic conditions were reported from Ganjam and Mayurbhanj districts of Orissa State and Madras City.																															
Explanation of Symbols used :—C = Cases ; D = Deaths; .. = Nil.																															

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th April, 1958

Town	Mid-year Popn.Est. (000)	Deaths from :—											Total D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Andhra Pradesh				"N.R."										
Assam				"N.R."										
Bihar				"N.R."										
Bombay				"N.R."										
Delhi				"N.R."										
Kerala				"N.R."										
Madhya Pradesh				"N.R."										
Madras														
Ambur . . . . .	48	35	37.9	..	..	..	..	1	2	..	10	10.8	2	
Arruppukottai . . . . .	62	28	23.5	..	..	..	2	3	2	..	19	15.9	2	
Bodinayakurur . . . . .	43	21	25.4	..	..	..	..	2	1	..	8	9.7	3	
Chidambaram . . . . .	43	32	38.7	..	..	..	1	..	1	..	10	12.1	1	
Coimbatore . . . . .	267	214	41.7	..	3	..	..	4	18	4	68	13.2	23	
Cuddalore . . . . .	76	43	29.4	..	..	..	3	3	2	..	14	9.6	2	
Dindigul †														
Erode . . . . .	77	65	43.9	..	..	..	2	..	6	..	20	13.5	5	
Gobichettipalayam . . . . .	48	11	11.9	..	..	..	..	..	1	..	3	3.3	1	
Gudiyattam . . . . .	58	33	29.6	..	2	..	..	5	3	1	18	16.1	6	
Kancheepuram . . . . .	93	67	37.5	..	..	..	2	1	17	1	37	20.7	7	
Karaikudi . . . . .	47	14	15.5	..	..	..	..	..	2	..	13	3.3	1	
Karur . . . . .	57	41	37.4	..	..	..	..	..	3	..	8	7.3	..	
Kumtakonam . . . . .	115	70	31.7	..	..	..	..	..	1	..	14	6.3	2	
Madras City . . . . .	2,011	1259	32.6	..	49	..	93	71	163	2	618	16.0	180	
Madurai . . . . .	488	202	21.5	..	..	..	11	9	22	..	115	12.3	28	
Mayuram . . . . .	53	51	50.0	..	1	..	..	..	..	..	13	12.8	3	
Malapalayam . . . . .	43	3	3.6	..	..	..	..	..	..	..	5	6.0	2	
Nagapattinam . . . . .	62	47	39.4	..	..	..	3	..	5	..	23	19.3	7	
Nagercoil . . . . .	109	48	22.9	..	..	..	4	..	4	..	22	10.5	2	
Ootacamund . . . . .	53	33	32.4	..	..	..	..	1	3	..	14	13.7	6	
Palni . . . . .	44	28	33.1	..	..	..	1	1	2	..	10	11.8	..	
Palayamkottai . . . . .	48	43	46.6	..	..	..	1	..	1	..	9	9.8	1	
Perikulam . . . . .	35	28	41.6	1	..	..	..	1	1	..	9	13.4	1	
Pollachi . . . . .	60	11	9.5	..	3	..	..	2	6	..	22	19.1	5	
Pudukottai . . . . .	54	44	42.4	..	..	..	3	1	1	..	21	20.2	4	
Rajapalayam . . . . .	74	25	17.6	..	1	..	5	3	1	..	16	11.2	..	
Salem . . . . .	279	155	28.9	..	..	..	3	3	11	1	53	9.8	7	
Sriangam . . . . .	46	17	19.2	..	..	..	1	..	..	..	7	7.9	1	
Srivilliputtur . . . . .	45	29	34.5	..	..	..	..	..	..	..	7	8.1	1	
Tanjore . . . . .	133	108	42.2	..	..	..	4	..	5	1	57	22.3	9	
Tiruchirappalli . . . . .	276	112	21.1	..	..	..	1	3	6	..	53	10.9	12	
Tirunelveli . . . . .	84	34	21.0	..	..	..	1	2	5	..	30	18.6	8	
Tiruppur . . . . .	73	46	32.8	..	..	..	..	1	3	..	16	11.4	5	
Tiruvannamalai . . . . .	47	29	32.1	..	..	..	..	1	5	1	12	13.3	1	
Tuticorin . . . . .	121	54	23.2	..	..	..	3	3	7	..	31	13.3	8	
Vaniyambadi . . . . .	45	24	27.7	..	..	..	..	2	1	1	12	13.9	6	
Vellore . . . . .	141	117	43.1	1	..	..	3	8	10	1	71	26.2	18	
Villapuram . . . . .	42	20	24.8	..	1	..	1	1	5	..	17	21.0	2	
Virudhunagar . . . . .	57	45	41.1	..	..	..	1	..	1	..	7	6.4	1	
TOTAL . . . . .	5,657	3,286	30.2	2	60	..	149	132	327	13	1,502	13.8	373	

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

**Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th April, 1958—*contd.***

Deaths from :—														
Town	Mid.-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Mysore														
Bangalore . . .	1246	460	19.2	..	7	..	5	48	94	..	267	11.1	8	
Mysore . . .	347	138	20.7	..	5	..	28	2	6	..	103	15.4	6	
Kolar Gold Fields . . .	180	46	13.3	..	..	..	3	1	1	..	16	4.6	1	
Bellary . . .	83	78	48.9	..	..	..	3	..	2	..	30	18.8	3	
Davangere . . .	85	23	14.1	..	..	..	6	5	..	..	22	13.5	..	
Shimoga . . .	68	29	22.2	..	..	..	6	1	..	..	11	8.4	3	
Bhadravati†														
Hospett†														
Tumkur . . .	51	9	9.2	..	..	..	7	..	..	..	7	7.1	..	
Kolar†														
Chitaldrug														
Hassan†	37	21	29.5	..	..	..	..	..	..	..	7	9.8	..	
Bidar†														
Gulberga . . .	101	26	13.4	..	..	..	1	..	3	..	5	2.6	..	
Raichur . . .	74	4	2.8	..	2	..	3	..	..	..	7	54.9	..	
Belgaum . . .	110	53	25.1	..	..	..	..	1	2	..	16	7.6	2	
Bijapur . . .	82	45	28.5	..	..	..	5	..	3	..	22	14.0	2	
Dharwar . . .	85	18	11.0	..	..	..	2	..	3	..	11	6.7	..	
Mangalore . . .	153	139	47.2	..	..	..	1	2	2	..	32	10.9	4	
Nagarkot . . .	39	17	22.7	..	..	..	5	..	1	1	13	17.3	..	
Hubli†														
Gadag (Bettigere) . . .	73	38	27.1	..	..	..	15	..	..	..	33	23.5	1	
TOTAL	2,814	1144	21.1	..	14	..	90	60	117	1	602	11.1	30	
Orissa														
Bahrapur . . .	81	45	28.9	..	..	..	3	3	2	..	15	9.6	4	
Cuttak . . .	129	102	41.1	..	10	..	10	8	12	..	65	26.2	8	
Puri . . .	56	43	39.9	..	7	..	4	4	1	..	29	26.9	6	
TOTAL	266	190	37.1	..	17	..	17	15	15	..	109	21.3	18	
Pondicherry . . .	68	70	53.5	..	..	..	2	4	3	..	24	18.4	16	
Punjab														
Ambala . . .	62	36	30.2	..	..	..	3	1	2	..	11	9.2	2	
Amritsar . . .	359	277	40.1	..	..	..	3	6	31	..	86	12.5	26	
Batala . . .	66	31	24.4	..	..	..	5	..	1	..	15	11.8	4	
Bhiwani . . .	59	39	34.4	..	..	..	11	1	2	1	19	16.7	2	
Ferozepore†														
Hissar . . .	41	21	26.6	..	..	..	2	..	1	..	8	10.1	2	
Hoshiarpur . . .	54	28	27.0	..	..	..	3	..	2	..	9	8.7	6	
Jullundur . . .	230	96	21.7	..	..	..	5	8	11	..	31	7.0	12	
Karnal . . .	83	48	30.1	..	..	..	7	..	..	..	14	8.8	5	
Ludhiana . . .	194	143	38.3	..	..	..	10	1	11	..	52	13.9	19	
Moga†														
Panipat . . .	72	41	29.6	..	..	..	9	..	..	..	9	6.5	2	
Pathankot . . .	36	37	53.4	..	..	..	..	2	2	..	6	8.7	2	
Rewari . . .	40	9	11.7	..	..	..	1	..	1	..	3	3.9	..	
Rohtak . . .	96	48	26.0	..	..	..	5	1	1	..	13	7.0	6	
Simla . . .	53	46	45.1	..	..	..	..	..	2	..	9	8.8	6	
Sonepat . . .	36	23	33.2	..	..	..	2	..	..	..	5	7.2	1	
Bhatinda . . .	45	22	25.4	..	..	..	2	..	..	..	4	4.6	..	
Malerkotla . . .	35	29	43.1	..	..	..	7	..	..	..	8	11.9	..	
Patiala . . .	125	65	27.0	..	1	..	13	1	2	..	28	11.6	9	
TOTAL	1,686	1,039	32.0	..	1	..	88	21	69	1	330	10.2	104	

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

*Explanation of Symbols used :—* B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fever; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th April, 1958—*contd.*

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from —								Total D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Rajasthan													
Almer . . . . .	244	99	21.1	..	4	..	14	1	12	..	52	11.1	10
Alwar . . . . .	61	28	23.9	..	..	..	2	1	5	..	27	23.0	4
Beawar . . . . .	65	8	6.4	..	9	..	9	1	..	..	32	25.6	9
Bharatpur†													
Bikaner . . . . .	117	50	22.2	..	2	..	2	1	10	..	25	11.1	2
Churu . . . . .	52	3	3.0	..	..	..	1	..	..	..	1	1.0	..
Ganganagar . . . . .	65	12	1.6	..	4	..	2	..	..	..	14	11.2	3
Jaipur . . . . .	419	69	8.6	..	..	..	39	2	6	1	111	13.8	42
Jodhpur†													
Kotah . . . . .	83	3	1.9	..	1	..	2	..	3	..	8	5.0	1
Sikar†													
Tonk†													
Udaipur . . . . .	121	5	2.1	..	..	..	1	..	..	..	4	1.7	..
TOTAL . . . . .	1,227	267	11.3	..	20	..	72	6	36	1	274	11.6	71
Uttar Pradesh													
Agra . . . . .	404	350	45.0	..	1	..	..	..	48	..	84	10.8	17
Allahabad . . . . .	372	150	21.0	..	..	..	1	2	43	..	76	10.6	9
Amroha . . . . .	61	66	56.3	..	..	..	5	1	5	..	20	17.0	11
Bahraich . . . . .	49	34	36.1	..	..	..	2	..	..	..	5	5.3	1
Banaras . . . . .	416	294	31.2	..	1	..	55	6	20	1	170	21.3	34
Banda†													
Bareilly . . . . .	206	57	14.4	..	..	..	..	1	8	..	18	4.5	2
Basti†													
Balla†													
Bijnor†													
Budaun . . . . .	55	30	28.4	..	..	..	5	..	5	..	16	15.1	3
Bulandshahr . . . . .	45	11	12.7	..	..	..	5	..	..	..	6	6.9	1
Chandausi . . . . .	44	38	44.9	..	..	..	5	2	3	1	15	17.7	3
Dehra Dun . . . . .	186	63	17.7	..	..	..	1	5	7	..	28	7.8	5
Etawah†													
Faizabad Ayodhya . . . . .	94	17	9.4	..	..	..	2	..	..	1	8	4.4	2
Farukhabad-Fatehgarh . . . . .	78	46	30.7	..	2	..	5	2	10	..	25	16.7	4
Ferozabad . . . . .	93	20	11.2	..	..	..	3	3	..	..	15	8.4	4
Gazipur . . . . .	35	15	22.2	..	..	..	6	..	1	..	10	14.9	..
Ghaziabad . . . . .	68	54	41.3	..	..	..	5	..	..	..	9	6.9	3
Gonda . . . . .	35	12	17.8	..	..	..	3	1	..	..	7	10.4	3
Gorakhpur . . . . .	150	104	36.1	..	5	..	9	5	11	..	45	15.6	11
Hapur . . . . .	65	21	16.8	..	..	..	8	..	3	..	13	10.4	4
Hardwar . . . . .	73	43	30.7	..	..	..	15	1	2	..	24	17.1	10
Hathras . . . . .	65	38	30.5	..	..	..	22	..	..	..	22	17.6	10
Jaunpur . . . . .	59	20	17.7	..	..	..	5	..	3	..	12	10.6	..
Jhansi . . . . .	132	38	15.0	..	..	..	20	..	..	..	27	10.7	5
Kanpur . . . . .	810	254	16.3	..	6	..	105	19	45	7	299	19.2	74
Kasganj . . . . .	34	13	19.9	..	..	..	6	1	1	..	8	12.3	1
Khurja . . . . .	41	..	..	..	..	..	9	..	1	..	23	29.2	10
Koil-Aligarh . . . . .	167	80	25.0	..	..	..	13	..	10	..	30	9.4	9
Lucknow . . . . .	525	256	25.4	..	5	..	33	18	52	3	181	18.0	17
Mathura . . . . .	118	82	36.1	..	4	..	15	2	6	..	33	14.6	8
Mau-Nath Bhanjan†													
Meerut . . . . .	198	124	32.6	..	..	..	7	2	10	1	26	6.8	3
Mirzapur Vindhyachal . . . . .	100	30	15.6	..	..	..	8	1	2	..	13	6.8	3

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used: B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); —Nil Information.

**Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th April, 1958—concl'd.**

Town	Mid-year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Uttar Pradesh—contd.															
Moradabad . . .	165	119	37.5	..	..	..	10	..	16	..	45	14.2	15		
Muzaffarnagar . .	81	41	26.4	..	..	..	6	..	..	..	11	7.1	2		
Pilibhit†															
Rampur†															
Saharanpur . . .	178	120	35.1	..	..	..	30	..	—	..	45	13.1	13		
Sambhal†															
Sitapur . . .	52	25	25.0	..	1	—	2	..	..	..	3	3.0	..		
Shahjahanpur . .	112	92	42.7	..	..	..	16	..	1	..	27	12.5	6		
TOTAL . . .	5,366	2,712	26.3	..	25	..	442	72	313	14	1,399	13.6	303		

**West Bengal**

"N.R."

**ARREAR INFORMATION****Andhra Pradesh**

For w/e 29-3-1958

Adoni†	.	.	.	42	11	13.6	..	5	..	..	..	1	..	10	12.4	1
Anantapur	.	.	.	51	13	13.3	..	..	..	..	..	1	1	12	12.2	4
Anakapalli	.	.	.													
Bhimavaram	.	.	.	41	10	10.1	..	..	..	2	1	1	..	8	10.1	2
Chirala †	.	.	.													
Chittoor	.	.	.	50	39	40.6	..	..	..	1	1	1	1	12	12.5	2
Cuddapah	.	.	.	46	21	23.7	..	1	..	3	2	3	..	18	20.3	..
Ellore	.	.	.	108	16	7.7	..	..	..	2	..	1	..	16	7.7	1
Gudivada	.	.	.	40	15	19.5	..	..	..	4	..	..	..	10	13.0	..
Guntur	.	.	.	168	74	22.9	..	1	..	12	5	7	1	56	17.3	9
Guntakal	.	.	.	43	12	14.5	..	2	..	2	..	1	1	11	13.3	1
Kakinada	.	.	.	123	53	22.4	..	..	..	5	2	5	..	49	20.7	9
Kurnool	.	.	.	74	56	39.4	..	..	..	2	1	4	..	23	16.2	1
Masulipatam	.	.	.	95	38	20.8	..	2	..	3	2	..	..	25	13.7	4
Nandyal	.	.	.	40	23	29.9	..	..	..	1	1	..	2	9	11.7	2
Nellore	.	.	.	107	81	39.4	..	..	..	4	4	6	1	56	27.2	12
Proddutur†	.	.	.													
Rajahmundry	.	.	.	137	55	20.9	..	1	..	2	..	..	..	16	6.1	3
Tenali	.	.	.	76	26	17.8	..	..	..	1	1	2	..	14	9.6	3
Vijayawada	.	.	.	253	99	20.3	..	1	..	9	7	15	..	87	17.9	16
Visakhapatnam	.	.	.	148	66	23.2	..	7	..	5	6	5	..	32	11.2	9
Vizianagram†	.	.	.													
Hyderabad	.	.	.	1,291	406	16.4	..	4	..	27	5	21	..	100	4.0	7
Warrangal†	.	.	.													
Nizamabad	.	.	.	81	11	7.1	..	1	..	1	..	5	..	7	4.5	..
Kothagudlam†	.	.	.													
Secunderabad	.	.	.	188	107	29.6	..	1	..	7	4	6	2	40	11.1	12
TOTAL	.	.	.	3,202	1,232	20.0	..	26	..	93	42	85	9	611	9.9	98

**Assam**

For w/e 1-3-1958

Shillong	.	.	81	33	21.2	..	..	..	..	1	..	6	3.9	..
Gauhati	.	.	58	5	4.5	..	..	3	..	..	..	15	13.4	17
Dibrugarh	.	.	54	2	1.9	..	..	..	1	..	..	1	0.96	..
Silchar†														
TOTAL	.	.	193	40	10.8	..	..	3	1	1	..	22	5.9	17

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :— B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; "N.R."—Information not received.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th April, 1958—*contd.*

Town		Mid-year Popn. Est. (000)	Deaths from:—											Total	D.R.*	I.D.
			B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Bihar		For w/e 29-3-58														
Arrah	.	74	9	6.3	..	..	..	4	1	2	..	12	8.4	..		
Bettiah†																
Bhagalpur†																
Bihar	.	70	12	8.9	..	..	..	4	..	..	..	5	3.7	..		
Chapra	.	72	53	38.3	..	1	..	..	..	..	..	12	8.7	2		
Darbhanga	.	98	26	13.8	..	6	..	1	..	1	..	32	17.0	..		
Dhanbad†																
Dinapur	.	45	6	9.3	..	..	..	..	..	..	3	5	7.8	..		
Gaya	.	159	33	10.8	..	..	..	17	4	28	..	69	22.6	..		
Hazaribagh	.	42	11	13.6	..	..	..	..	..	..	..	6	7.4	1		
Jamalpur	.	48	..	..	..	..	..	1	..	..	..	3	3.2	..		
Jamshedpur	.	266	92	18.0	..	1	..	..	1	1	..	17	3.3	1		
Katihar†																
Monghyr	.	84	12	7.4	..	11	..	2	..	..	..	19	11.8	..		
Muzaffarpur	.	92	35	19.8	..	..	..	5	2	1	..	32	18.1	..		
Patna	.	371	61	8.5	..	..	..	6	..	..	..	39	5.5			
Ranchi	.	157	12	4.0	..	2	..	6	..	..	..	17	5.6	4		
TOTAL		1,578	362	11.9	..	20	..	46	8	33	3	268	8.8	8		
Delhi		w/e 5-4-1958														
Delhi City	.	1,372	413	18.3	..	..	..	48	..	25	1	127	4.8	36		
New Delhi	.	589	168	14.8	..	..	..	..	2	2	..	65	5.7	13		
N.A.C. Civil Station, Delhi	.	223	69	16.1	..	..	..	2	..	2	..	17	4.0	2		
Delhi Cantt.	.	62	..	..	..	..	..	..	..	1	..	1	0.83	..		
Delhi-Shahdara	.	50	45	46.8	..	..	..	9	..	1	..	10	10.2	..		
TOTAL		2,296	765	17.3	..	..	..	59	2	31	1	220	5.0	51		
Kerala		w/e 29-3-1958														
Trivandrum†																
Quilon	.	82	56	35.5	..	..	..	1	..	..	..	14	8.9	..		
Alleppy	.	195	43	11.5	..	..	..	..	..	..	..	29	7.7	6		
Changanacherry	.	44	40	47.3	..	..	..	..	3	..	..	5	5.9	..		
Kottayam	.	55	34	32.2	..	..	..	..	..	..	..	4	3.8	..		
Marthancherry	.	94	34	18.8	..	..	..	..	1	..	..	11	6.1	..		
Ernakulam	.	77	99	66.9	..	..	..	1	..	..	1	21	14.2	..		
Trichur	.	80	97	63.1	..	..	..	1	..	..	..	14	9.1	..		
Fort Cochin	.	30	57	98.8	..	..	..	..	..	..	..	9	15.6	..		
Kozhikode	.	187	112	31.1	..	..	..	20	8	3	..	86	23.9	13		
Palghat†																
Cannanore.	.	49	17	18.0	..	..	..	2	..	4	..	16	17.0	4		
Tellicherry	.	43	32	38.7	..	..	..	1	1	..	..	15	18.1	4		
TOTAL		939	621	34.4	..	..	..	25	14	7	1	224	12.4	27		
Pondicherry		w/e 5-4-58														
Pondicherry	.	68	60	45.9	..	..	..	3	6	2	..	29	22.2	22		
Punjab		Supplementary Figure														
		w/e 5-4-1958														
Ferozapore	.	47	32	35.4	..	..	..	..	1	3	..	9	10.0	3		
Moga	.	45	26	30.0	..	..	..	..	..	..	..	7	8.1	2		
Maler Kotla	.	35	25	37.1	..	..	..	3	..	1	..	7	10.4	..		
		w/e 22-3-58														
Maler Kotla	.	35	25	37.1	..	..	..	..	..	1	..	1	1.5	..		
Mysore		w/e 5-4-1958														
Dharwar	.	85	19	11.6	..	..	..	..	1	2	..	9	5.5	..		

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. Nil information.

## REMARKS

The figures of births and deaths shown in this statement for week ending the 12th April, 1958 relate to 121 towns from the States of Madras, Mysore, Orissa, Pondicherry, Punjab, Rajasthan and Uttar Pradesh, with a population coverage of 17,084 thousands out of total population of 46,893 thousands in 319 towns in the country. The number of births and deaths recorded in these

towns were 8,708 and 4,240 representing birth and death rates of 26.5 and 12.9 per thousand of population respectively.

No town has recorded a high death rate of 30 or over per thousand of population. The following table gives the registered rates for different States:—

States	Current w/c 12-4-58		Corresponding w/c last year	
	B.R.	D.R.	B.R.	D.R.
Madras . . .	30.2	13.8	36.7	13.7
Mysore . . .	21.1	11.1	27.4	20.2
Orissa . . .	37.1	21.3	46.0	23.0
Pondicherry . .	53.5	18.4	61.2	13.0
Punjab . . .	32.0	10.2	20.0	6.4
Rajasthan . . .	11.3	11.6	10.3	11.6
Uttar Pradesh . .	26.3	13.6	24.7	12.2
India . . .	26.5	12.9	29.7	12.6

NEW DELHI-2 (INDIA);  
The 5th May, 1958. }

H. R. SHARMA,  
for Registrar General, India